


This document is the property of Fascomp Inc. and shall not be reproduced, distributed, or used as a basis for manufacturing without written permission from Fascomp Inc.

# Captive Screw Type 3 10-32 Thread



**Captive Screws - 10-32 Thread**

FCXXX	Length (L)	H.D. + .015 - .000	S.L. + .010 - .010	W.D. + .010 - .010	D + .010 - .000
FC0680	1/2	1/2	1/8	.406	.093
FC0681	9/16	1/2	3/16	.406	.093
FC0682	5/8	1/2	1/4	.406	.093
FC0683	11/16	1/2	5/16	.406	.093
FC0684	3/4	1/2	3/8	.406	.093
FC0685	13/16	1/2	7/16	.406	.093
FC0686	7/8	1/2	1/2	.406	.093
FC0687	15/16	1/2	9/16	.406	.093
FC0688	1	1/2	5/8	.406	.093
FC0689	1-1/16	1/2	11/16	.406	.093
FC0690	1-1/8	1/2	3/4	.406	.093
FC0691	1-3/16	1/2	13/16	.406	.093
FC0692	1-1/4	1/2	7/8	.406	.093
FC0693	1-5/16	1/2	15/16	.406	.093
FC0694	1-3/8	1/2	1	.406	.093
FC0695	1-7/16	1/2	1-1/16	.406	.093
FC0696	1-1/2	1/2	1-1/8	.406	.093
FC0697	1/2	5/8	1/8	.500	.093
FC0698	9/16	5/8	3/16	.500	.093
FC0699	5/8	5/8	1/4	.500	.093
FC0700	11/16	5/8	5/16	.500	.093
FC0701	3/4	5/8	3/8	.500	.093
FC0702	13/16	5/8	7/16	.500	.093
FC0703	7/8	5/8	1/2	.500	.093
FC0704	15/16	5/8	9/16	.500	.093
FC0705	1	5/8	5/8	.500	.093
FC0706	1-1/16	5/8	11/16	.500	.093
FC0707	1-1/8	5/8	3/4	.500	.093
FC0708	1-3/16	5/8	13/16	.500	.093
FC0709	1-1/4	5/8	7/8	.500	.093
FC0710	1-5/16	5/8	15/16	.500	.093
FC0711	1-3/8	5/8	1	.500	.093
FC0712	1-7/16	5/8	1-1/16	.500	.093
FC0713	1-1/2	5/8	1-1/8	.500	.093

**Create a part number:**

Length	Material	Finish
FCXXX	XX	XX
_____ - _____ - _____		

**Material**

Material Code (XX)	
B	Brass
S	Steel
SS	Stainless Steel

**Compatible Finish (XX)**

B, S, SS	0 - Plain
B, S	5 - Nickel Plate (QQ-N-290)
B, S	12 - Zinc Clear (ASTM-B-633)
B, S	16 - Electro Tin (MIL-T-10727 TYPE 1)
SS	20 - Passivation (MIL-F-14072D)
B, S, SS	26 - Black Oxide
B, S	28 - Zinc Yellow (ASTM-B-633)

Source Control Drawing:  
To be produced by  
Fascomp Electronic Hardware



**Tolerances Unless otherwise Specified**  
 .xxx +/- .005  
 .xx +/- .010  
 Angular +/- 1 Degree  
 Linear +/- .005  
**Break all sharp edges**